

Retro S – Set

Retrofit thermostatic insert
with presetting and thermostatic head



HEIMEIER >

Pressurisation & Water Quality > Balancing & Control > Thermostatic Control

ENGINEERING ADVANTAGE

> Retro S – Set

Description


Retro S – Set with retrofit thermostatic insert and thermostatic head. The Retro S thermostatic insert with precision presetting is suitable for:

“Standard” thermostatic valve bodies with connection thread directly at the valve body, “without” boss marking, made from late 1982 and “without” colored marking on the stuffing box.


The Retro S flow rates correspond to the flow rates of HEIMEIER V-exakt valves. Technical data/ diagrams, see technical leaflet “Thermostatic valve bodies”.

With the HEIMEIER fitting tool (Art.-no. 9721-00.000) the thermostatic inserts can be replaced without the need to drain off the system.


Retrofit thermostatic inserts with presetting for valve bodies **“Standard” “with” boss marking, made from 1994**, and additional Replacement thermostatic inserts, see technical leaflet “Thermostatic valve bodies”.




for DN 15
valve bodies
from late 1982 to 1994



for DN 20
valve bodies
from late 1982 to Today



Suitable for stuffing box
“without” color marking
(brass)




Suitable for valve bodies with
connection thread for the
thermostatic head and
„without” boss marking



Not suitable for valve bodies
with connection thread for
the thermostatic head and
„with” boss marking

> Article numbers



Set 1

with Retrofit insert and Thermostatic head K (Art. no. 6000-00.500)

for DN 15
for DN 20

Article No

3500-12.800
3500-13.800




Set 2

with Retrofit insert and Thermostatic head K,
Theft protection using security ring (Art no. 6020-00.500)

for DN 15
for DN 20

Article No

3500-14.800
3500-15.800



Set 3

with Retrofit insert and Thermostatic head B, for public buildings (Art no. 2500-00.500)


for DN 15
for DN 20

Article No


3500-22.800
3500-23.800

Set 4


with Retrofit insert and Thermostatic head F, remote dial, 2 m (Art no. 2802-00.500)

for DN 15
for DN 20**Article No**3500-32.800
3500-33.800**Set 5**

with Retrofit insert and Thermostatic head DX (Art no. 6700-00.500)

for DN 15
for DN 20**Article No**3500-42.800
3500-43.800**Set 6**

with Retrofit insert and Thermostatic head K with remote sensor, 2 m (Art no. 6002-00.500)

for DN 15
for DN 20**Article No**3500-52.800
3500-53.800

Accessories

Setting key

for Retro S, V-exakt and F-exakt. Refer also to the assembly and operating instructions.


**Article No**

3501-02.142

Universal key

as an alternative to the setting key art. no. 3501-02.142 for adjusting Retro S and V-exakt/F-exakt. Also for thermostatic head B (temperature setting), Regulux lockshield, Vekolux double connection fitting and radiator air vent.

Refer also to the assembly and operating instructions.


**Article No**

0530-01.433

Fitting tool

complete with case, box spanner and replacement seals, for replacing thermostatic inserts without draining off the heating system (for NW 10 to NW 20).

Refer also to the assembly and operating instructions.

**Article No**

9721-00.000

The products, texts, photographs, graphics and diagrams in this document may be subject to alteration by TA Hydronics without prior notice or reasons being given.

For the most up to date information about our products and specifications, please visit www.tahydraulics.com.

1150-18.483 03.2011